

SFC10-4 115MM NO LEADS



Product features and benefits

- Ceramic housings designed specifically for high temperature halogen and metal halide applications
- High quality contact materials for optimal mechanical and electrical properties
- UL recognized and CE certified

Areas of application

- Halogen Fixtures
- Metal Halide Fixtures
- Halogen Instrumentation
- Halogen Equipment

Product datasheet

Technical data

General product information

| | |
|-----------------------|---|
| Product Number | 69004 |
| Product Name | SFC104115MMNOLEADS 8/CS 8/SKU |
| Ordering Abbreviation | SFC10-4 115MM NO LEADS |
| Brand Name | OSRAM |
| General Description | SFc10-4 with Pre-Focus Socket. May be used with SharXS HTI lamps. |
| CSA File No. | LR20904 |
| Old Part Number | F511939 |

Electrical data

| | |
|----------------------------|--------|
| Maximum Wattage (W) | 1500 W |
| Maximum Voltage (V) | 1000 V |
| Voltage - Pulse Rated (kV) | 25 kV |

Physical attributes

| | |
|------------------|--|
| Length (in) | 5.85 in |
| Length (mm) | 148.6 mm |
| Width (in) | 2.95 in |
| Width (mm) | 17.5 mm |
| Height (in) | 1.71 in |
| Height (mm) | 43.3 mm |
| Body Material | Ceramic Stealite and Nickel Plated Steel |
| Contact Material | Nickel Plated Nickel |
| Wire Gauge (AWG) | 18-12 Comp AWG |

Additional product data

| | |
|------------------------------------|------------------------|
| Lamp Base Reference | SFc10-4 with Pre-focus |
| Maximum Operating Temperature (°C) | 250 C |
| Rohs Compliant | Yes |
| Underwriters Laboratories File No. | E31557 |

Packaging Information

| Product number | EAN/UPC | Packaging | Quantity | Outside dimensions l x w x h | Gross weight |
|----------------|---------------|---------------------|----------|------------------------------|--------------|
| 69004 | 4052899508866 | Shipping box (Case) | 8 | 13.8 in x 10.6 in x 2 in | 2 lb |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Product datasheet

Disclaimer

OSRAM does not accept liability for errors, changes and omissions.